



Duraguard Gloss

Duraguard Gloss is a heat-set laminating film that provides an excellent glossy finish to virtually any output.

Uses

Uniquely suited for high-ink-coverage prints on photo-glossy paper, Duraguard Gloss delivers a high-quality end product at an economical price. It's perfect for mounting multiple images to a single board, and allows the images to be flush-trimmed or die-cut — and rolled almost immediately after processing — without fear of delamination.

The QMLS difference

Because we specialize in large-format, we can offer you one of the most comprehensive, top-quality product lists available. Even more important, we've amassed an unsurpassed knowledge-base about the products and how they work together. No matter what the application, you can rest assured that the paper, ink, adhesive, and laminating film you're using are the best possible match — not just for each other, but for the end product.

Size	Catalog #
25.5" x 164'	0440325
38" x 328'	0440338
41" x 328'	0440340
51" x 328'	0440360

Specifications	
<i>Finish</i>	High gloss
<i>Base Film/ Filmic Carrier</i>	1.5 mil (38 micron) polyester
<i>Adhesive Bond</i>	1.0 mil (25 micron) solvent acrylic
<i>Release Liner</i>	Moisture stable paper
<i>Initial Tack</i>	Low
<i>Application Temperature</i>	180° to 210°F (82° to 99°C)
<i>Application Speed</i>	1' to 8' (0.3m to 2.5m) per minute
<i>Notes</i>	To keep film from stretching as it becomes soft and pliable when heated, apply only minimal brake tension to unwind supply shaft and release liner take-up. Adjust take-up shaft in such a way that release liner is removed just prior to entering nip rollers. By reducing adhesive's exposure to air, there is less chance of picking up dust particles.

Ordering

Duraguard Gloss is stocked in all QMLS distribution centers and available for immediate delivery. [Click here](#) to order online, or call 1-800-552-9427.



Quality Mounting & Laminating Systems, Inc.
285 State Street, Suite One
North Haven, CT 06473
1-800-552-9427 FAX 203 281-6451
info@qmls.com www.qmls.com

Information provided here is based on research and is believed to be reliable as of printing date. This information does not constitute a warranty. All material should be tested by purchaser to determine final suitability.